Filling in the Gaps: Integrating APRNs and PAs into the Rural Healthcare Workforce

Catherine Campbell, MPH Pamela Lauer, MPH Matthew Turner, PhD, MPH Mesfin Bekalo, MS

Overview


- Problem
- Impact
- Analysis
 - Supply Ratio Mapping
 - Cluster Mapping
 - Dasymetric Mapping
- Discussion

Problem

Differential access to care between urban and rural areas

Problem

- Healthy People 2020: improve access to care
 - Access to services
 - Lower utilization/costs
 - Greater patient satisfaction
- Physicians shortage/maldistribution
- Exacerbated by:
 - PPACA
 - Growing population
 - Aging of baby boomers
- Integrate other providers





Texas Providers

- Texas population:
 - Urban counties: 24,027,285 people
 - Rural counties: 3,134,657 people
- Texas healthcare workforce:
 - Urban counties: 63,323 providers (379.4 population per provider)
 - Rural counties: 4,220 providers (742.8 population per provider)
- In order for the provider ratio in rural counties to equal that of urban counties, rural counties need 4,040 more providers.

Texas Providers

- Recruitment and retention
 - Nurses
 - Doctors
- Providers in rural areas are older
 - Percentage of providers aged 60+

	Urban	Rural
Physicians	24.2%	38.3%
APRNS	14.2%	22.4%
PAs	6.6%	18.8%

Texas Population


- Vulnerable populations
- Rural population is older
 - Urban counties: 15.4% over 60 years old
 - Rural counties: 23.6% over 60 years old

Impact: Differential Health Outcomes

Risk Factor	MSA	Non-MSA
General Health – Fair to Poor	16.4%	23.3%
Cardiovascular Disease	8.0%	11.2%
Diabetes	9.6%	11.0%
No Mammogram within 2 Years, women >= 40 years	28.6%	38.4%
Never had pneumonia shot, 65+ years	29.9%	37.7%
No leisure time physical activity	25.4%	34.1%


Source: Center for Health Statistics (CHS). Texas Behavioral Risk Factor Surveillance System Survey Data. Austin, Texas: Texas Department of State Health Services, 2010.

All Providers




■ MDs ■ PAs ■ APRNs

Primary Care Providers




■ MDs ■ PAs ■ APRNs

County Supply Maps




Where do numbers come from


- Re-licensure and certification data
 - Texas Board of Nursing (for nurses)
 - Texas Medical Board (for physicians and physician assistants)
- Active, practicing professionals
- Primary Care Providers
 - Classified using "primary specialty" field




Physicians




Physicians



Advanced Practice Registered Nurses





Advanced Practice Registered Nurses




Physicians

APRNs






Physician Assistants





All Providers




Physicians

APRNs







All Providers






PAs







All Providers




Primary Care Physicians




Primary Care Nurse Practitioners




Primary Care PAs




All Primary Care Providers



All Providers



All Primary Care Providers





Cluster Maps


Spatial Autocorrelation

- Measures the degree to which data are clustered or dispersed
- Moran's I
 - High high cluster: cluster of high values
 - High low outlier: high value surrounded by low values
 - Low high outliers: low value surrounded by high values
 - Low low cluster: cluster of low values


Physicians









APRNs









PAs




All Providers




Primary Care Physicians




Primary Care Physicians






Primary Care NPs




Primary Care Physicians


Primary Care NPs



Primary Care PAs




All Primary Care Providers




Problems with County Maps


- Providers aren't evenly distributed across counties
- County lines are arbitrary

All Providers



Example: Kendall County








Dasymetric Maps


Dasymetric Methodology

- Data
 - Texas data geocoded provider addresses from HPRC
 - Gridded US population count from the Center of International Earth Science Information Network (CIESIN)
 - Grid pixels sized approximately 4.4 x 4.4 km
- Methods
 - Aggregated 4.4 x 4.4 km gridded pixels to units of 22 x 22 km
 - Joined population polygon grid with geocoded provider addresses
 - Calculated ratio of population per provider for each grid square












APRNs




Primary Care Physicians



Primary Care NPs



Primary Care PAs



Discussion

Defining Shortage Areas

- What is the ideal ratio of population per provider?
- Health Professional Shortage Areas (HPSAs)
 - Primary Care HPSA 3,500:1
 - Mental Health HPSA 30,000:1

Defining Urban/Rural


- 82 metropolitan counties in Texas
 - 11 with population <1,000
 - 29 with population <50,000
- OMB definition
 - Core urban area of 50,000+
 - Adjacent counties with high number of commuters

Strategies

- Loan repayment
 - National Health Service Corps
 - Texas Physician Education Loan Repayment Program
- Targeting medical students
 - Rural programs
 - Colleges of osteopathic medicine
 - Internal Medical Graduates

Future Studies

- Get rid of counties as boundaries
- Create entirely continuous heat map
- Consider other barriers to access
 - Drive time
 - Socioeconomic status



References

- Hing, E., & Hsiao, C. (2014). State Variability in Supply of Office-based Primary Care Providers: United States, 2012. Centers for Disease Control and Prevention.
- Pathman, D. E., Konrad, T. R., Dann, R., & Koch, G. (2004). Retention of Primary Care Physicians in Rural Health Professional Shortage Areas. American Journal of Public Health, 94(10), 1723–1729.
- Thomas, K. C., Ellis, A. R., Konrad, T. R., Holzer, C. E., & Morrissey, J. P. (2009). County-level estimates of mental health professional shortage in the United States. *Psychiatric Services, 60*(10), 1323-1328.
- Cunningham, P. J. (2009). Beyond Parity: Primary care physicians' perspectives on access to mental health care. *Health Affairs, 28*(3), w490-w501.
- Rabinowitz, H. K., Petterson, S., Boulger, J. G., Hunsaker, M. L., Diamond, J. J., Markham, F. W., . . . Phillips, R. L. (2012). Medical school rural programs: a comparison with international medical graduates in addressing state-level rural family physician and primary care supply. *Academic Medicine*, *87*, 488-492.
- Van Zanten, M., & Boulet, J. R. (2013). Medical education in the Caribbean: Quantifying the contribution of Caribbean-educated physicians to the primary care workforce in the United States. Academic Medicine, 88, 276-281.
- Fordyce, M. A., Doescher, M. P., Chen, F. M., & Hart, L. G. (2012). Osteopathic physicians and international medical graduates in the rural primary care physician workforce. *Family Medicine*, 396-403.
- Freidberg, M. W., Hussey, P. S., & Schneider, E. C. (2010). Primary care: A critical review of the evidence on quality and costs of health care. Health Affairs, 29(5), 766-772.
- Jolly, P., Erikson, C., & Garrison, G. (2013). US graduate medical education and physician specialty choice. Academic Medicine, 88(4), 468-474.
- IHS Inc., The Complexities of Physician Supply and Demand: Projections from 2013 to 2025. Prepared for the Association of American Medical Colleges. Washington, DC: Association of American Medical Colleges; 2015.
- National Center for Workforce Analysis, HRSA. (2013). Projecting the Supply and Demand for Primary Care Practitioners through 2020. Washington, DC: US Department of Health and Human Services.
- U.S. Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. Washington, DC. Available at http://www.healthypeople.gov/2020/topics-objectives/topic/Access-to-Health-Services/objectives. Accessed June 5, 2015.

Thank you!